

## Nextest Maverick PT-II Tester

Asset ID: 39175

### Configuration Info:

Nextest Maverick PT-II Tester

64 digital pins

33/66/133 MHz Maximum Test Rate One Algorithmic Pattern Generator

Data Buffer Memory, 288M

Error Catch & Redundancy, 288M

Drive Levels-per-pin

Four Parametric Measurement Units Four Dual Device Power Supplies

PC Workstation w/NextSoft Release 512M Main Memory

System contains:

1x APG board with 288 megs of memory 4x PE boards

4x ECR board with 288 megs of memory



### More Photos on Following Pages

To our knowledge, the information contained in this data sheet is accurate, but it may contain errors and we do not warrant the completeness or accuracy of this data.

Interested parties may contact Bridge Tronic Global for additional information at +1 949.396.1395 or [sales@bridgetronic.com](mailto:sales@bridgetronic.com)

Visit our website at: [www.bridgetronic.com](http://www.bridgetronic.com)



QUICK  
LEAD TIMES



QUALITY  
EQUIPMENT



COMPETITIVE  
PRICING



*Interested parties may contact Bridge Tronic Global for additional information at +1 949.396.1395 or [sales@bridgetronic.com](mailto:sales@bridgetronic.com)*



QUICK  
LEAD TIMES



QUALITY  
EQUIPMENT



COMPETITIVE  
PRICING



*Interested parties may contact Bridge Tronic Global for additional information at +1 949.396.1395 or [sales@bridgetronic.com](mailto:sales@bridgetronic.com)*



QUICK  
LEAD TIMES



QUALITY  
EQUIPMENT



COMPETITIVE  
PRICING